

In the Claims

Please amend claims as follows:

1. (Previously Amended) A system for stapling tissue comprising:

an operative head including a pair of opposed, curved tissue clamping jaws sized to pass through an esophagus, the jaws being movable with respect to one another between an open tissue receiving configuration and a closed tissue clamping configuration, a first one of the curved jaws including a stapling mechanism and a second one of the jaws including a staple forming anvil surface, the stapling mechanism including stapling slots through which staples are fired arranged in a row extending from a proximal end of the first jaw to a distal end thereof, wherein the operative head further includes a first jaw moving mechanism for gross adjustment of the position of the jaws relative to one another and a second jaw moving mechanism for fine adjustment of the jaws relative to one another and wherein the second jaw moving mechanism includes a substantially C-shaped clamp received around the first and second jaws; and

a control handle which, when the operative head is in an operative position within one of a patient's stomach and esophagus, remains outside the patient, the control handle including a first actuator for moving the jaws relative to one another and a second actuator for operating the stapling mechanism.

2. (Original) The system according to claim 1, further comprising a tissue cutting mechanism for severing from the patient's body tissue located radially within the row of staples.
3. (Original) The system according to claim 1, further comprising a staple pusher mounted for movement within the first jaw along a path substantially parallel to the row of staples.

4. (Original) The system according to claim 3, wherein the stapling mechanism fires staples in a plurality of substantially parallel rows.
5. (Original) The system according to claim 3, further, comprising a tissue cutting mechanism for severing from the patient's body tissue located radially within the row of staples wherein the tissue cutting mechanism comprises a blade coupled to the staple pusher.
6. (Cancelled)
7. (Cancelled)
8. (Previously Amended) The system according to claim 1, wherein the substantially C-shaped clamp includes a tissue cutting blade integrally formed therewith.
9. (Previously Amended) The system according to claim 1, wherein the first jaw includes a curved cam slot substantially parallel to the row of staple slots and wherein the substantially C-shaped clamp includes a cam follower riding within the cam slot.
10. (Original) The system according to claim 9, wherein the staple pusher is coupled to the C-shaped clamp for movement therewith.
11. (Original) The system according to claim 10, wherein the stapling mechanism includes a plurality of staple driving members, each staple driving member being received within a respective staple slot and wherein the staple pusher includes an angled surface which, when the staple pusher is driven along the path substantially parallel to the row of staples, the angled surface sequentially contacts the staple pushers to drive the staples out of the first jaw toward the second jaw.

12. (Original) The system according to claim 11, wherein the tissue cutting blade is coupled to the C-shaped clamp so that, as the stapling mechanism is operated, it trails the angled surface of the staple pusher so that tissue is cut only after a corresponding radially outer portion of tissue has been stapled.

13. (Previously Amended) A system for stapling tissue comprising:

an operative head including a pair of opposed, curved tissue clamping jaws sized to pass through an esophagus, the jaws being movable with respect to one another between an open tissue receiving configuration and a closed tissue clamping configuration, a first one of the curved jaws including a stapling mechanism and a second one of the jaws including a staple forming anvil surface, the stapling mechanism including stapling slots through which staples are fired arranged in a row extending from a proximal end of the first jaw to a distal end thereof, further including a first jaw moving mechanism for gross adjustment of the position of the jaws relative to one another an a second jaw moving mechanism for fine adjustment of the jaws relative to one another, wherein the second jaw moving mechanism includes an I-beam member a web of which extends through corresponding slots in the first and second jaws with a portion of the I-beam member being received within the first jaw and a second portion of the I-beam member being received within the second jaw; and

a control handle which, when the operative head is in an operative position within one of a patient's stomach and esophagus, remains outside the patient, the control handle including a first actuator for moving the jaws relative to one another and a second actuator for operating the stapling mechanism.

14. (Previously Amended) A system for stapling tissue comprising:

an operative head including a pair of opposed, curved tissue clamping jaws sized to pass through an esophagus, the jaws being movable with respect to one another

between an open tissue receiving configuration and a closed tissue clamping configuration, a first one of the curved jaws including a stapling mechanism and a second one of the jaws including a staple forming anvil surface, the stapling mechanism including stapling slots through which staples are fired arranged in a row extending from a proximal end of the first jaw to a distal end thereof, further including a first jaw moving mechanism for gross adjustment of the position of the jaws relative to one another an a second jaw moving mechanism for fine adjustment of the jaws relative to one another, wherein the second jaw moving mechanism includes an I-beam member a web of which extends through corresponding slots in the first and second jaws with a portion of the I-beam member being received within the first jaw and a second portion of the I-beam member being received within the second jaw, and wherein the I-beam member serves as the staple pusher and wherein a first portion of the I-beam member includes a camming surface which sequentially contacts each of a plurality of staple pushers as the I-beam member is moved through the corresponding slots in the first and second jaws; and

a control handle which, when the operative head is in an operative position within one of a patient's stomach and esophagus, remains outside the patient, the control handle including a first actuator for moving the jaws relative to one another and a second actuator for operating the stapling mechanism.

15. (Previously Amended) A system for stapling tissue comprising:

an operative head including a pair of opposed, curved tissue clamping jaws sized to pass through an esophagus, the jaws being movable with respect to one another between an open tissue receiving configuration and a closed tissue clamping configuration, a first one of the curved jaws including a stapling mechanism and a second one of the jaws including a staple forming anvil surface, the stapling mechanism including stapling slots through which staples are fired arranged in a row extending from a proximal end of the first jaw to a distal end thereof, further including a first jaw moving mechanism for gross adjustment of the position of the jaws relative to one another an a

second jaw moving mechanism for fine adjustment of the jaws relative to one another, wherein the second jaw moving mechanism includes an I-beam member a web of which extends through corresponding slots in the first and second jaws with a portion of the I-beam member being received within the first jaw and a second portion of the I-beam member being received within the second jaw, and wherein the I-beam member includes a tissue cutting blade extending from the web between the first and second portions of the I-beam member; and

a control handle which, when the operative head is in an operative position within one of a patient's stomach and esophagus, remains outside the patient, the control handle including a first actuator for moving the jaws relative to one another and a second actuator for operating the stapling mechanism.

16. (Previously Amended) The system according to claim 1, further comprising a gross adjustment mechanism including a cable extending between the control handle and the operative head, wherein the cable extends around a pivot member coupled to one of the first and second jaws to couple to the other of the first and second jaws.

17-21. (Cancelled)